

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/084,614	02/28/2002	Scott Bierly	0918.0153C	1621	
27896 7590 01/09/2007 EDELL, SHAPIRO & FINNAN, LLC 1901 RESEARCH BOULEVARD SUITE 400 ROCKVILLE, MD 20850			EXAMINER		
			LU, JIA		
			ART UNIT	PAPER NUMBER	
ROCK VIELE, MD 20050			2611		
SHORTENED STATUTO	RY PERIOD OF RESPONSE	MAIL DATE	DELIVER	DELIVERY MODE	
3 MONTHS		01/09/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No.	Applicant(s)			
Office Action Summary		10/084,614	BIERLY ET AL.			
		Examiner	Art Unit .			
		Jia W. Lu	2611			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY HEVER IS LONGER, FROM THE MAILING DO ISSIONS OF TIME MAY BE AVAILABLE OF THE MAILING DO ISSION (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period of the to reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailing of patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).			
Status						
2a)□	Responsive to communication(s) filed on <u>22 N</u> This action is <b>FINAL</b> . 2b) This Since this application is in condition for allowal closed in accordance with the practice under E	action is non-final.  nce except for formal matters, pro				
Dispositi	on of Claims					
5)⊠ 6)⊠ 7)⊠ 8)□	Claim(s) <u>1-36</u> is/are pending in the application.  4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed.  Claim(s) <u>1-4 and 7-30</u> is/are rejected.  Claim(s) <u>5.6 and 31-36</u> is/are objected to.  Claim(s) are subject to restriction and/o	wn from consideration.	·			
•	The specification is objected to by the Examine	r				
10)⊠	The drawing(s) filed on 28 February 2002 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	e: a)⊠ accepted or b)⊡ objecte drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).			
Priority u	nder 35 U.S.C. § 119		·			
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
2)	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:				

Application/Control Number: 10/084,614 Page 2

Art Unit: 2611

#### Response to Arguments

Applicant's arguments filed 11/22/06 have been fully considered but they are not persuasive. While applicant's position and arguments do distinguish application from prior art, they are *not adequately reflected in the claim language*.

"Beamforming" itself is process of steering an array. In order to steer all elements of an array to communicate in a given direction only, all array elements must be calibrated, as shown in US 6,615,024. Calibration is needed because the arrays are located differently in space and are manufactured differently. Calibration enables all elements to add up in phase in the given direction by using a correction term, and one term is calculated per array element, per frequency, or per "carrier phase." Therefore, the calibration of antenna elements prior to beamforming implicitly includes carrier phase rotation adjustments. Beamforming phase rotation is then performed to adjust the phase of the elements relative to the calibration. Hence, "beamforming" is almost always a two-step process that includes both calibration for individual carrier phase at each of the elements and adding beamforming phase rotations to properly steer the beam.

See also Response to Arguments in action sent on 6/22/2006.

Examiner hereby apologizes for missing claims 31-36 in the previous action. Prosecution is re-opened.

#### **DETAILED ACTION**

Art Unit: 2611

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

- Claims 1, 22-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 6,615,024.
  - a. Regarding claims 1, 22-24, '024 shows a baseband modulator (column 13, lines 20-25), a baseband demodulator (figure 4, element 411), and a shared baseband processor (figure 1, elements 111, 117 and 123) which receives outbound and incoming signals, said processor applying phases to the signals to account for both beamforming and carrier phase rotations (column 13, lines 30-45). While the shared baseband processor used in this rejection is based on a grouping of receive and transmit processors, the system that '024 describes performs the same functions of adjusting the antenna array. It would have been obvious to one ordinarily skilled in the art to group the weight generators (figure 4, element 409, figure 1, elements 131 and 117) into a single circuit to call it a "shared" processor to reduce the size and complexity of the circuit.

Application/Control Number: 10/084,614 Page 4

Art Unit: 2611

b. Regarding claim 25, '024 describes the processor to adjust amplitude of the signals (column 12, lines 65-68).

- c. Regarding claim 31, '024
- Claims 2 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 6,615,024 as applied to claim 1 above, and further in view of US patent 5,583,562.
  - a. Regarding claim 2, although patent '024 does not show time-multiplexing of received data, the use of time-multiplexing in transceiver systems is well known for their ability to increase the throughput of a communications resource (for example, patent '562, fig 1). It would have been obvious for one ordinarily skilled in the art to use time-multiplexing in a system described in '024 in order to allow more users to use a single channel in a duplex system.
  - b. Regarding claim 3, while patent '024 does not show the modulator to provide a time-multiplexed data stream from an input of multiple data streams, patent '562 shows a modulator (fig 1, element 130) receiving data symbols from a plurality of user channels (fig 1, element 110) and provide a single time-multiplexed data stream (column 5, lines 30-40). The reason to combine time-multiplexing with a modulator is stated in part a above.

Art Unit: 2611

3. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 6,615,024 and US patent 5,583,562 as applied to claim 3 above, and further in view of US patent 6,768,458. While patent '024 does not show a modulator generating a plurality of modulated data in the time-multiplexed stream corresponding to a plurality of antenna elements, patent '458 shows a modulator (figure 5, elements 216 and 218) generating a plurality of modulated data symbols in the time-multiplexed stream, corresponding to a plurality of antenna elements (figure 5, element 250). It would have been obvious for one ordinarily skilled in the art for a modulating system described in patent '024 to time-multiplex a plurality of modulated data symbols corresponding to antenna elements in order to increase directional gain in transmission.

Page 5

- 4. Claims 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 6,615,024 as applied to claim 1 above, and further in view of US patent 6,831,943.
  - a. Regarding claims 7-9, patent '024 does not describe the complex multiplication of signals in the processor relating to a plurality of user channels in a time-multiplexed manner. However, patent '943 teaches a transmission system where a processor unit (figure 10, elements 18 and 20) performs complex multiplication on signals on incoming signals that have been time-multiplexed (column 29, line 43), associated with a plurality of antennas (figure 1, elements A12). While the plurality of user

channels is not shown, it is well known that a system using time-multiplexing takes signals from different users in order to multiplex them. It would have been obvious for one ordinarily skilled in the art to use complex multiplication in a system described in patent '024 for beamforming (column 7, lines 18-47) and power adjustments (column 15, lines 47-54) in order to improve power usage and reduce interference.

- b. Regarding claim 10, patent '024 does not disclose a beamformer configured to receive time-multiplexed baseband signals from shared baseband processor. Patent '943, however, shows a beamformer (figure 2, element 52) capable of receiving time-multiplexed (column 29, line 43) signals from a front-end processor. It would have been obvious for one ordinarily skilled in the art to use a beamformer in a transceiver system described in patent '024 when incoming signals require directional and rotational adjustments in order to acquire precise directional transmission to increase gain while using lower power.
- 5. Claims 11-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 6,615,024 as applied to claim 1 above, and further in view of US patent 6,549,527. While patent '024 does not show the front-end specifics of its receiving circuitry, patent '527 shows a plurality of down-converters (column 2, lines 29-33) separately down-converting signals for each antenna element (figure 14, element 142). It also teaches the down-converting circuitry to include

Art Unit: 2611

decimation means (figure 1, element 11) followed by multiplexing means (figure 1, element 12). It would have been obvious for one ordinarily skilled in the art to use decimation and multiplexing in the receiver end in order enable signal processing in an antenna array system without lowering system performance or increasing price, dimension or complexity of the hardware (column 3, line 48-line 59).

Page 7

- 6. Claims 14-16, 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 6,615,024 as applied to claim 1 above, and further in view of US patent 5,809,422.
  - a. Regarding claims 14-16, while patent '024 does not show a demultiplexer and up-converters in transmission, patent '422 teaches the use of demultiplexers (figure 4, element 134) and IF up-converters (column 7, lines 33-40) in separate transmitting antenna elements (column 11, lines 56-60). Patent '422 also teaches interpolation in order to increase the sampling rate of the transmission signals (column 13, lines 39-40). It would have been obvious for one ordinarily skilled in the art to employ demultiplexing in an transmission end as described in patent '024 in order to separate time-multiplexed symbols for transmission and up convert baseband signals into a higher, intermediate frequency in order to enable signal transmission in a wireless medium.

Art Unit: 2611

b. Regarding claim 18, while patent '024 does not teach the use of TDMA, patent '422 teaches the use of TDMA (column 8, line 41) in its transceiver system. Because TDMA is a very common technique used in transmission, and it would have been obvious to one ordinarily skilled in the art to use TDMA to allow multiple users to share time slots within a single channel.

Page 8

- 7. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 6,615,024 as applied to claim 1 above, further in view of US patent 5,937,348. While patent '024 teaches the use of a duplexer between the transmitter and receiver portion of its transceiver, it does not specify the duplex to be time-division or the use of a switch. Patent '348 shows a duplex switch capable of using time division duplex (column 5, line 20). It would have been obvious to one ordinarily skilled in the art to use a switch in a time division duplex transceiver system described in patent '024 in order to provide better control over the system while allowing it to transmit and receive using a single front-end processor.
- 8. Claims 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 6,615,024 as applied to claim 1 above, further in view of US patent application 20020141478. While patent '024 does not show the use FDMA, FPGA or VLSI in its transceiver system, application '478 teaches all these

elements (FDMA on paragraph 2, line 6, FPGA on paragraph 621, line 4, and ASIC on paragraph 621, line 5). It would have been obvious to one ordinarily skilled in the art to use FDMA to allow multiple users to share time slots, FPGA to increase flexibility in designs and programming, or ASIC to reduce power usage, save space and lower cost of production.

- 9. Claims 26-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 6,101,399, in view of US patent 5,631,898, further in view of US patent 6,072,994.
  - a. Regarding claims 26 and 28, while '399 shows a method of processing signals received via antenna arrays comprising downconverter producing parallel signals (figure 3, element 54), and applying phases to the signals and performing beamforming (element 60), it does not show individual down-converting and A/D units, patents '898 and 643 show these features. Patent '898 shows separate IF down-converters (figure 12, element 1203), baseband down-converters (element 1207), A/D (element 1212), and a digital multiplexer (element 1213). It does not show the A/D to be down at IF, however, patent '994 shows this (column 31, lines 30-35). It would have been obvious to one ordinarily skilled in the art to perform A/D at IF in the circuit in '898 to allow many benefits such as easier digital programming, replacement of bulky circuitry, and better tuning: It would also have been obvious to one ordinarily skilled in the art

to use the individual antenna processing elements of '898 in the system described in '399 to have more maneuverable controls of individual antenna elements.

- Regarding claim 27, '399 describes the decimation of signals after digitizing and downconverting to baseband and prior to beamforming.
- c. Claims 29 and 30 describe the limitations in claim 26 at its transmitting end. It would have been obvious to one ordinarily skilled in the art to reverse, step-by-step, the limitations of claim 26 in a receiver end to achieve transmission.

## Allowable Subject Matter

10. Claims 5, 6, 31-36 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jia W. Lu whose telephone number is 571-272-6042. The examiner can normally be reached on Mon- Fri, 8:30AM-4:30PM.

Application/Control Number: 10/084,614 Page 11

Art Unit: 2611

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh M. Fan can be reached on (571)272-3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jia Lu Examiner

> CHIEH M. FAN SUPERVISORY PATENT EXAMINER